

# Missed Opportunities for Adolescent Immunizations at Well-Care Visits During the COVID-19 Pandemic

## [Visit Article](#)

The Coronavirus Disease 2019 pandemic disrupted healthcare, but the impact on vaccination missed opportunities (MOs, vaccine-eligible visits without vaccination) is unknown. We evaluated pandemic-related trends in MOs at adolescent well-care visits for three vaccines: human papillomavirus; quadrivalent meningococcal conjugate; and tetanus, diphtheria, and acellular pertussis (Tdap). We analyzed electronic health record data from 24 pediatric primary care practices in 13 states from 1/1/2018 to 12/31/2021. Segmented logistic regression estimated risk differences for MOs during the pandemic relative to prepandemic trends. Among 106,605 well-care visits, we observed decreases in MOs prepandemic followed by an increase in MOs during the pandemic for all three vaccines. Relative to prepandemic, MOs increased for human papillomavirus (+15.9%, 95% confidence interval [CI]: 11.7%, 20.1%), meningococcal conjugate (+9.4%, 95% CI: 5.2%, 13.7%), and tetanus, diphtheria, and acellular pertussis (Tdap) (+ 8.2%, 95% CI: 4.3%, 12.1%). Increases in vaccine MOs during the pandemic equaled or exceeded pre-pandemic decreases. Reducing MOs in adolescent well-care could raise vaccine coverage.

## Journal:

[Journal of Adolescent Health](#)

Authors:

Kelly MK, Stephens-Shields AJ, Hannan C, Rand CM, Localio R, Shone LP, Steffes J, Davis K, Grundmeier RW, Humiston SG, Albertin C, McFarland G, Abney DE, Szilagyi PG, Fiks AG

## Topics

[Health Needs in Adolescence](#)  
[Health Care Delivery & Quality](#)

## Related Content

[What Health Systems Can Do Now to Improve Human Papillomavirus Vaccination](#)