

Identifying Targets for Improving Mental Healthcare of Adolescents with Systemic Lupus Erythematosus: Perspectives from Pediatric Rheumatology Clinicians in the United States and Canada

Date:

Apr 2016

[Visit Article](#)

OBJECTIVE: To identify targets for improving mental healthcare of adolescents with systemic lupus erythematosus (SLE) by assessing current practices and perceived barriers for mental health intervention by pediatric rheumatology clinicians.

METHODS: Members of the Childhood Arthritis and Rheumatology Research Alliance (CARRA) completed a Web-based survey assessing current mental health practices, beliefs, and barriers. We examined associations between provider characteristics and the frequency of barriers to mental health screening and treatment using multivariable linear regression.

RESULTS: Of the 375 eligible CARRA members, 130 responded (35%) and 119 completed the survey. Fifty-two percent described identification of depression/anxiety in adolescents with SLE at their practice as inadequate, and 45% described treatment as inadequate. Seventy-seven percent stated that routine screening for depression/anxiety in pediatric rheumatology should be conducted, but only 2% routinely used a standardized instrument. Limited staff resources and time were the most frequent barriers to screening. Respondents with formal postgraduate mental health training, experience treating young adults, and practicing at sites with very accessible mental health staff, in urban locations, and in Canada reported fewer barriers to screening. Long waitlists and limited availability of mental health providers were the most frequent barriers to treatment. Male clinicians and those practicing in the Midwest and Canada reported fewer barriers to treatment.

CONCLUSION: Pediatric rheumatology clinicians perceive a need for improved mental healthcare of adolescents with SLE. Potential strategies to overcome barriers include enhanced mental health training for pediatric rheumatologists, standardized rheumatology-based mental health practices, and better integration of medical and mental health services.

Journal:

[The Journal of Rheumatology](#)

Authors:

Knight A, Vickery M, Muscal E, Davis A, Harris J, Soybilgic A, Onel K, Schanberg L, Rubinstein T, Gottlieb B, Mandell D, von Scheven E, for the CARRA Investigators

Related Content

[Barriers and Facilitators for Mental Healthcare in Pediatric Lupus and Mixed Connective Tissue Disease: A Qualitative Study of Youth and Parent Perspectives](#)

[Depression and anxiety and their association with healthcare utilization in pediatric lupus and mixed connective tissue disease patients: a cross-sectional study](#)

[Identifying Differences in Risk Factors for Depression and Anxiety in Pediatric Chronic Disease: A Matched Cross-Sectional Study of Youth with Lupus/Mixed Connective Tissue Disease and Their Diabetic Peers](#)